

Best Available Copy

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 MAR 15 WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS 3 MAR 16 CASREACT™ coverage extended
NEWS 4 MAR 20 MARPAT now updated daily
NEWS 5 MAR 22 LWPI reloaded
NEWS 6 MAR 30 RDISCLOSURE reloaded with enhancements
NEWS 7 APR 02 JICST-EPLUS removed from database clusters and STN
NEWS 8 APR 30 GENBANK reloaded and enhanced with Genome Project ID field
NEWS 9 APR 30 CHEMCATS enhanced with 1.2 million new records
NEWS 10 APR 30 CA/CAplus enhanced with 1870-1889 U.S. patent records
NEWS 11 APR 30 INPADOC replaced by INPADOCDB on STN
NEWS 12 MAY 01 New CAS web site launched
NEWS 13 MAY 08 CA/CAplus Indian patent publication number format defined
NEWS 14 MAY 14 RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS 15 MAY 21 BIOSIS reloaded and enhanced with archival data
NEWS 16 MAY 21 TOXCENTER enhanced with BIOSIS reload
NEWS 17 MAY 21 CA/CAplus enhanced with additional kind codes for German patents
NEWS 18 MAY 22 CA/CAplus enhanced with IPC reclassification in Japanese patents
NEWS 19 JUN 27 CA/CAplus enhanced with pre-1967 CAS Registry Numbers
NEWS 20 JUN 29 STN Viewer now available
NEWS 21 JUN 29 STN Express, Version 8.2, now available
NEWS 22 JUL 02 LEMBASE coverage updated
NEWS 23 JUL 02 LMEDLINE coverage updated
NEWS 24 JUL 02 SCISEARCH enhanced with complete author names
NEWS 25 JUL 02 CHEMCATS accession numbers revised
NEWS 26 JUL 02 CA/CAplus enhanced with utility model patents from China

NEWS EXPRESS 29 JUNE 2007: CURRENT WINDOWS VERSION IS V8.2,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 05 JULY 2007.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

Best Available Copy

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 06:06:53 ON 11 JUL 2007

=> file caplus
COST IN U.S. DOLLARS
FULL ESTIMATED COST

| | SINCE FILE ENTRY | TOTAL SESSION |
|---------------------|------------------|---------------|
| FULL ESTIMATED COST | 0.21 | 0.21 |

FILE 'CAPLUS' ENTERED AT 06:07:03 ON 11 JUL 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless "otherwise" indicated in the original publication's. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Jul 2007 VOL 147 ISS 3
FILE LAST UPDATED: 10 Jul 2007 (20070710/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s gastrointestinal? disorder?
59642 GASTROINTESTINAL?
458438 DISORDER?
L1 1778 GASTROINTESTINAL? DISORDER?
(GASTROINTESTINAL? (W) DISORDER?)

=> s l1 and mesylat?
13118 MESYLAT?
L2 10 L1 AND MESYLAT?

=> s l2 and py<2003
22885817 PY<2003
L3 6 L2 AND PY<2003

=> d ibib abs hitstr tot

L3 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:594675 CAPLUS
DOCUMENT NUMBER: 137:145600
TITLE: Crystal forms of 2,3-dimethyl-8-(2-ethyl-6-methylbenzylamino)imidazo(1,2-a)pyridine-6-carboxamide mesylate
INVENTOR(S): Dahlstroem, Mikael; Langkilde, Frans; Loeqvist, Karin
PATENT ASSIGNEE(S): AstraZeneca Ab, Swed.
SOURCE: PCT Int. Appl., 21 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

Best Available Copy

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|--|----------|-----------------|--------------|
| WO 2002060441 | A1 | 20020808 | WO 2002-SE163 | 20020130 <-- |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW | RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| AU 2002226861 | A1 | 20020812 | AU 2002-226861 | 20020130 <-- |
| PRIORITY APPLN. INFO.: | | | SE 2001-296 | A 20010201 |
| | | | WO 2002-SE163 | W 20020130 |

AB The present invention relates to novel crystalline forms of 2,3-dimethyl-8-(2-ethyl-6-methylbenzylamino)imidazo[1,2-a]pyridine-6-carboxamide mesylate. Further, the present invention also relates to use of the compound for the treatment of gastrointestinal disorders. Thus, 2,3-dimethyl-8-(2-ethyl-6-methylbenzylamino)imidazo[1,2-a]pyridine-6-carboxamide (I) was prepared by the reaction of 8-amino-2,3-dimethylimidazo[1,2-a]pyridinecarboxamide-HBr with 2-ethyl-6-methylbenzyl chloride in the presence of NaI and K₂CO₃. I was then treated with methanesulfonic acid in n-BuOH to give the mesylate salt. The mesylate salt was dissolved in MeCN and MeOH, and after concn of the compound to give the Form A. The product was characterized by x-ray diffraction.


REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:923796 CAPLUS
 DOCUMENT NUMBER: 136:53745
 TITLE: Preparation of imidazo[1,2-a]pyridine ether compounds as ion channel modulators
 INVENTOR(S): Beatch, Gregory N.; Liu, Yuzhong; Plouvier, Bertrand M. C.
 PATENT ASSIGNEE(S): Cardiome Pharma Corp., Can.
 SOURCE: PCT Int. Appl., 111 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|--|----------|-----------------|--------------|
| WO 2001096335 | A1 | 20011220 | WO 2001-CA868 | 20010612 <-- |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| AU 2001067214 | A5 | 20011224 | AU 2001-67214 | 20010612 <-- |
| US 2004048885 | A1 | 20040311 | US 2003-297988 | 20030627 |
| US 7105534 | B2 | 20060912 | | |
| PRIORITY APPLN. INFO.: | | | CA 2000-2311483 | A 20000612 |
| | | | WO 2001-CA868 | W 20010612 |

OTHER SOURCE(S):
GI

MARPAT 136:53745



AB Claimed is a method for modulating ion channel activity in a warm-blooded animal comprising administering to a warm-blooded animal in need thereof, an effective amount of a compound of formula [I; n = 0, 1, 2, 3; X = a direct bond, C(R3):CH, CR4R5-Y (wherein Y = a direct bond, O, S, C1-4 alkylene); R2, R15, R16, R18 = Br, Cl, F, CO2H, H, HO, CH2OH, methanesulfonamido, NO2, SO2NH2, cyano, CHF2, CH2F, CF3, C2-7 alkanoyloxy, C1-6 alkyl, C3-8 cycloalkyl, aryl, benzyl, C1-6 alkoxy, C2-7 alkoxy carbonyl, C1-6 thioalkyl, CH2NR13R14, NR13R14 (wherein R13, R14 = H, acetyl, methanesulfonyl, and C1-6 alkyl); or R2 and R16, when taken together with the carbon to which they are attached, may form a C4-7 cycloalkyl; R3 = H, C1-C6 alkyl, C3-C5 cycloalkyl, aryl, benzyl; R1, R4, R5 = H, C1-6 alkyl, aryl, benzyl; or R4 and R5, when taken together with the carbon to which they are attached, may form a spiro C3-5 cycloalkyl; A = C5-12 alkyl, a C3-13 carbocyclic ring, (un)substituted Ph, 1-naphthyl, 2-naphthyl, indanyl, indolyl, benzofuranyl, benzothiofuranyl, fluorenyl, or acenaphthenyl], or a pharmaceutically acceptable salt, ester, amide, complex, chelate, solvate, stereoisomer, stereoisomeric mixture, geometric isomer, crystalline or amorphous form, metabolite, metabolic precursor or prodrug thereof. The compds. of the present invention may be incorporated in compns. and kits. These compds. are ion channel modulators for potassium channels such as a voltage-activated, a cardiac, and a neuronal potassium channel and for sodium channels such as a voltage-activated, a ligand-activated, a cardiac, a neuronal, a skeletal, a central nervous system, and a peripheral nervous system sodium channel. The present invention also discloses a variety of in vitro and in vivo uses for the compds. and compns., including the treatment or prevention of (a) atrial, ventricular, or supraventricular arrhythmia as well as atrial or ventricular fibrillation, (b) diseases of central nervous system such as convulsion, epileptic spasms, depression, anxiety, and schizophrenia, (c) cardiovascular diseases such as hypertension, heart failure, and hypotension, (d) cerebral or myocardial ischemias such as stroke, (e) long-QT syndrome, (f) migraine, (g) diabetes mellitus, (h) myopathies such as Becker's myotonia, myasthenia gravis, paramyotonia congenital, malignant hyperthermia, hyperkalemic periodic paralysis, and Thomsen's myotonia, (i) autoimmune disorders, (j) graft rejection in organ transplantation or bone marrow transplantation, (k) dementia, (l) alopecia, (m) sexual dysfunction such as impotence, (n) demyelinating diseases such as multiple sclerosis, amyotrophic lateral sclerosis, and Parkinson's disease, (o) cystic fibrosis, (p) respiratory disorders such as cough and asthma, (q) inflammation such as arthritis, (r) allergies, (s) urinary incontinence, and (t) gastrointestinal disorders such as irritable bowel syndrome, gastrointestinal inflammatory diseases, and ulcer, (u) for producing analgesia or local analgesia, and (v) for enhancing libido. Thus, a mixture of 2-amino-3-[3-(2,6-dichlorophenyl)propoxy]pyridine (1.4 g, 4.7 mmol, preparation given), chloroacetone (1.6 mL, 18.8 mmol), and mol. sieves (5.0 g, type 4A, beads, 8-12 mesh) in anhydrous methanol (80 mL) was refluxed for 3 days



Best Available Copy

to give, after work-up, purification on a silica gel column, and conversion into the HCl salt, 8-[3-(2,6-dichlorophenyl)propoxy]-2-methylimidazo[1,2-a]pyrimidine monohydrochloride (II). II in vitro exhibited the half-maximal inhibition (IC₅₀) of 0.3, and 0.8 μM against sodium and potassium channel, resp.

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:396849 CAPLUS
DOCUMENT NUMBER: 135:19561
TITLE: 2-Arylquinoline derivatives, preparation and therapeutic use thereof as stimulants of arterial and urethral smooth muscle contraction
INVENTOR(S): Bovy, Philippe R.; Braun, Alain; Philippo, Christophe
PATENT ASSIGNEE(S): Sanofi-Synthelabo, Fr.
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|--------|-----------|-----------------|--------------|
| WO 2001038310 | A1 | 20010531 | WO 2000-FR3224 | 20001121 <-- |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | | |
| FR 2801589 | A1 | 20010601 | FR 1999-14817 | 19991125 <-- |
| CA 2392149 | A1 | 20010531 | CA 2000-2392149 | 20001121 <-- |
| BR 2000015787 | A | 20020813 | BR 2000-15787 | 20001121 <-- |
| EP 1240146 | A1 | 20020918 | EP 2000-988858 | 20001121 <-- |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | | |
| TR 200201352 | T2 | 20030221 | TR 2002-1352 | 20001121 |
| HU 200203455 | A2 | 20030228 | HU 2002-3455 | 20001121 |
| EE 200200266 | A | 20030616 | EE 2002-266 | 20001121 |
| JP 2003526633 | T | 20030909 | JP 2001-540073 | 20001121 |
| MX 2002PA05019 | A | 20030128 | MX 2002-PA5019 | 20020517 |
| BG 106737 | A | 20030430 | BG 2002-106737 | 20020522 |
| ZA 2002004064 | A | 20030522 | ZA 2002-4064 | 20020522 |
| US 6617336 | B1 | 20030909 | US 2002-130875 | 20020522 |
| HR 2002000455 | A1 | 20030831 | HR 2002-455 | 20020523 |
| IN 2002MN00662 | A | 20040228 | IN 2002-MN662 | 20020523 |
| NO 2002002482 | A | 20020724 | NO 2002-2482 | 20020524 <-- |
| PRIORITY APPLN. INFO.: | | | | A 19991125 |
| OTHER SOURCE(S): GI | MARPAT | 135:19561 | WO 2000-FR3224 | W 20001121 |



AB The invention concerns therapeutically useful compds. I [wherein: A = H, OH, C1-3 alkoxy, hydroxy-C1-3-alkyl, alkoxy-C1-3-alkyl, thiol, C1-6-alkylsulphanyl, or halo; B, D = H, C1-6-alkyl, fluoro-C1-6-alkyl, or perfluoro-C1-2-alkyl; or BD = oxo; R1 = (un)substituted Ph, naphthyl, or C4-5-heteroaryl; R2, R3 = H, halo, C1-6-alkyl; R4 = H, OH, or halo; R5, R6 = H, C1-6-alkyl, C2-6-alkenyl, C3-6-cycloalkyl, C3-6-cycloalkenyl, fluoro-C1-6-alkyl, perfluoro-C1-2-alkyl; or R5R6 = C2-6-alkylene or C3-6-alkenylene chain optionally substituted by C1-4-alkyl] and their salts. Claims cover the compds. I, 5 specific examples of I, diol intermediates for I, a process for preparation of I from the diols, medicaments and pharmaceuticals containing I, and their use. In particular, use of I to prepare medicaments for treatment of urinary incontinence, venous insufficiency, migraine, or gastrointestinal disorders is claimed. A table of 79 invention compds., primarily as free bases and pamoate salts, is given, along with 3 detailed syntheses and 3 bioassays. For instance, 2-phenyl-3-methyl-8-vinylquinoline (preparation given) was dihydroxylated with AD-mix- α to give the 8-(1(S),2-dihydroxyethyl) compound, which underwent monoprotection as the 2-TBDMS ether, mesylation to give the 1(S)-mesylate, coupling of this with 2(R)-methylpiperidine, deprotection, and acidification, to give the (R,R)-isomeric title compound II.HCl. In a pithed rat bioassay, i.v. administration of I typically increased urethral pressure potently (PU10 doses of 5 to 200 μ g/kg), but less so arterial pressure (typical PA10 doses of 600 to 2000 μ g/kg, PA50 unattained).



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1997:772199 CAPLUS
 DOCUMENT NUMBER: 128:48140
 TITLE: Preparation of substituted benzene-fused hetero-and carbocyclics as neurokinin antagonists
 INVENTOR(S): McCormick, Kevin D.; Lupo, Andrew T., Jr.
 PATENT ASSIGNEE(S): Schering-Plough Corp., USA
 SOURCE: U.S., 29 pp., Cont.-in-part of U.S. Ser. No. 469,315, abandoned.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|--------------|
| US 5691362 | A | 19971125 | US 1996-658790 | 19960605 <-- |
| CA 2223239 | A1 | 19961212 | CA 1996-2223239 | 19960604 <-- |
| ES 2191755 | T3 | 20030916 | ES 1996-916750 | 19960604 |
| PRIORITY APPLN. INFO.: | | | US 1995-469315 | B2 19950606 |

OTHER SOURCE(S):
GI

MARPAT 128:48140



AB The title compds. [I; A1-A4 = N, O, C(O), etc. (wherein A1-A4, together with the carbon atoms to which they are attached, form a 5-6 membered ring); E = R3-aryl, R3-heteroaryl; W = R4-cycloalkyl, R4-aryl, etc.; R1, R3, R4 = H, halo, C1-6 alkyl, etc.; R5, R7, R9, R11 = H, C1-6 alkyl, CF3, etc.; R6, R8 = R5, (CR9R10)nOR11, etc.; R10 = H, C1-6 alkyl; Q = a bond, C(O), O, etc.; Y1 = (CR9R10)m, G(CR9R10)m, (CR9R10)mG; G = CHR2; R2 = CF3, C2F5, NO2, etc.; J = a bond, O, S(O)e, etc.; Y2 = (CR9R10)m; Z1 = H, C1-6 alkyl, CF3, etc.; e, n = 0-2; m = 0-3; r, s = 1-4], useful in treating asthma, cough, bronchospasm, inflammatory diseases, and gastrointestinal disorders, were prepared and formulated. Thus, reaction of TBDMS-derivative of 4-amino-3-(3,4-dichlorophenyl)butanol with 3,4,5-trimethoxybenzoic acid followed by the methylation of the NH group of the resulting benzamide, the removal of TBDMS group, treatment of the intermediate alc. with MeSO3H, and reaction of the mesylate with N-methyl-tryptamine afforded II which showed Ki of 25 nM against NK1 and Ki of 33 nM against NK2.

L3 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1992:550675 CAPLUS

DOCUMENT NUMBER: 117:150675

TITLE: Preparation of phenylalkylamines for treatment of gastrointestinal disorders

INVENTOR(S): Hell, Insa; Preuschoff, Ulf; Kraehling, Hermann; David, Samuel; Ban, Ivan; Christen, Marie Odile

PATENT ASSIGNEE(S): Kali-Chemie Pharma GmbH, Germany

SOURCE: Eur. Pat. Appl., 31 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|----------|-----------------|--------------|
| EP 491263 | A1 | 19920624 | EP 1991-121136 | 19911210 <-- |
| EP 491263 | B1 | 19960724 | | |

Best Available Copy

| R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE | | |
|------------------------|--|-----------------|----------------|
| DE 4040632 | A1 19920625 | DE 1990-4040632 | 19901219 <-- |
| AT 140693 | T 19960815 | AT 1991-121136 | 19911210 <-- |
| ES 2090219 | T3 19961016 | ES 1991-121136 | 19911210 <-- |
| HU 61966 | A2 19930329 | HU 1991-3891 | 19911211 <-- |
| JP 04308555 | A 19921030 | JP 1991-333341 | 19911217 <-- |
| CA 2057959 | A1 19920620 | CA 1991-2057959 | 19911218 <-- |
| FI 9105979 | A 19920620 | FI 1991-5979 | , 19911218 <-- |
| NO 9105010 | A 19920622 | NO 1991-5010 | 19911218 <-- |
| AU 9189827 | A 19920625 | AU 1991-89827 | 19911218 <-- |
| AU 643099 | B2 19931104 | | |
| ZA 9109954 | A 19921028 | ZA 1991-9954 | 19911218 <-- |
| CN 1062525 | A 19920708 | CN 1991-111696 | 19911219 <-- |
| US 5294638 | A 19940315 | US 1993-5457 | 19930119 <-- |
| PRIORITY APPLN. INFO.: | | DE 1990-4040632 | A 19901219 |
| | | US 1991-806302 | B1 19911213 |

OTHER SOURCE(S): MARPAT 117:150675



AB Title compds. I [$m = 1-4$; $n = 2-5$; R1 = H, C1-4 alkyl; R2 = H, C1-4 alkyl, C1-4 alkoxy, halo, CF₃; R3 = H, C1-4 alkyl, C1-4 alkoxy, halo or R2R3 = C1-2 alkylenedioxy; R4 = C10-11 saturated mono- or bicyclic terpene residue, e.g. dihydroneryl; Z = O, NR₅ (R₅ = alkyl) or Z can be S when R4 = dihydronetyl] were prepared for treatment of gastrointestinal disorders, e.g., ulcers. Thus, cis-dihydronopol was treated with SOC₁₂ and the resultant chloride was etherified by 1,3-propanediol. The resultant hydroxy ether was mesylated, then treated with N-methyl-N-phenethylamine to give title compound I [R1 = Me; R2, R3 = H; R4 = dihydronetyl; Z = O; n = 3; m = 2] (II). II.H₃PO₄ at 100 μ mol/kg orally in rats gave 97% inhibition of EtOH-induced stomach lesions. The min. toxic dose of II.H₃PO₄ was 300 mg/kg orally for mice. Formulations containing I were prepared

L3 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:213581 CAPLUS

DOCUMENT NUMBER: 106:213581

TITLE: Preparation and formulation of N-heterocycl-substituted benzamides useful in treatment of gastrointestinal disorders

INVENTOR(S): Noverola, Armando Vega; Soto, Jose Manuel Prieto; Noguera, Fernando Pujol; Mauri, Jacinto Moragues; Spickett, Robert Geoffrey William

PATENT ASSIGNEE(S): Fordonal S. A., Spain

SOURCE: Eur. Pat. Appl., 55 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|----------|-----------------|--------------|
| EP 213775 | A1 | 19870311 | EP 1986-305999 | 19860804 <-- |
| EP 213775 | B1 | 19900103 | | |

R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE

Best Available Copy

| | | | | |
|------------------------------------|----|----------|----------------|--------------|
| ES 2000705 | A6 | 19880316 | ES 1986-430 | 19860721 <-- |
| ES 2000706 | A6 | 19880316 | ES 1986-431 | 19860721 <-- |
| IL 79469 | A | 19930315 | IL 1986-79469 | 19860721 <-- |
| ZA 8605537 | A | 19870325 | ZA 1986-5537 | 19860724 <-- |
| AU 8660758 | A | 19870212 | AU 1986-60758 | 19860731 <-- |
| AU 596110 | B2 | 19900426 | | |
| US 4772618 | A | 19880920 | US 1986-890946 | 19860731 <-- |
| CA 1300154 | C | 19920505 | CA 1986-515257 | 19860801 <-- |
| FI 8603179 | A | 19870207 | FI 1986-3179 | 19860804 <-- |
| FI 89168 | B | 19930514 | | |
| FI 89168 | C | 19930825 | | |
| NO 8603139 | A | 19870209 | NO 1986-3139 | 19860804 <-- |
| NO 168706 | B | 19911216 | | |
| NO 168706 | C | 19920325 | | |
| DK 8603705 | A | 19870327 | DK 1986-3705 | 19860804 <-- |
| JP 62129279 | A | 19870611 | JP 1986-183285 | 19860804 <-- |
| HU 44782 | A2 | 19880428 | HU 1986-3367 | 19860804 <-- |
| HU 201060 | B | 19900928 | | |
| AT 49206 | T | 19900115 | AT 1986-305999 | 19860804 <-- |
| PL 150228 | B1 | 19900531 | PL 1986-260921 | 19860804 <-- |
| DD 287502 | A5 | 19910228 | DD 1986-293410 | 19860804 <-- |
| CN 86105972 | A | 19870401 | CN 1986-105972 | 19860806 <-- |
| CN 1022830 | B | 19931124 | | |
| PRIORITY APPLN. INFO.: | | | | |
| GB 1985-19707 A 19850806 | | | | |
| EP 1986-305999 A 19860804 | | | | |
| OTHER SOURCE(S): MARPAT 106:213581 | | | | |
| GI | | | | |



AB Title compds. I ($\text{R} = \text{C1-7 alkoxy, alkenyloxy, alkynyoxy}$; $\text{R1} = \text{H, NR4R5, NR6COR7}$; $\text{R4, R5, R6} = \text{H, alkyl}$; $\text{R7} = \text{CF}_3, \text{alkyl}$; $\text{R2} = \text{H, halo, NO}_2, \text{H}_2\text{NSO}_2$; $\text{R3} = \text{H, Me, MeO}$; $\text{X} = \text{hydrocarbon containing 1-4 C, one of which may optionally be replaced by O}$; $\text{Y} = \text{nonarom. cyclic ether or -cyclic thioether}$) and their salts were prepared 4-Piperidone oxime was reacted with 2-tetrahydrofurylmethyl mesylate to give the 1-(2-tetrahydrofurylmethyl) derivative which was reduced to the amino derivative, and this was used to amide 2-ethoxy-2-amino-5-chlorobenzoic acid to give I ($\text{R} = \text{OEt}$; $\text{R1} = \text{H2N}$; $\text{R2} = \text{Cl}$; $\text{R3} = \text{H}$; $\text{X} = \text{CH}_2$; $\text{Y} = \text{tetrahydrofuryl}$). Gastrokinetic activity was demonstrated with some I. Pharmaceutical compns. with a representative I are given.

=> d ibib abs hitst 12 tot
 'HITST' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
 ALL ----- BIB, AB, IND, RE
 APPS ----- AI, PRAI
 BIB ----- AN, plus Bibliographic Data and PI table (default)
 CAN ----- List of CA abstract numbers without answer numbers

Best Available Copy

CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATTS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):ibib

L2 ANSWER 1 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:366948 CAPLUS
DOCUMENT NUMBER: 144:398354
TITLE: Compositions and methods using apocynin compounds and
nitric oxide donors for therapy
INVENTOR(S): Garvey, David S.
PATENT ASSIGNEE(S): Nitromed, Inc., USA
SOURCE: PCT Int. Appl., 61 pp.

Best Available Copy

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| WO 2006041855 | A2 | 20060420 | WO 2005-US35715 | 20051003 |
| WO 2006041855 | A3 | 20061012 | | |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | | |
| RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM | | | | |

PRIORITY APPLN. INFO.: US 2004-615712P P 20041004

OTHER SOURCE(S): MARPAT 144:398354

L2 ANSWER 2 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1221121 CAPLUS

DOCUMENT NUMBER: 143:477954

TITLE: Preparation of thienopyridinone compounds as 5-HT agonists for therapy

INVENTOR(S): Dhanoa, Dale S.; Becker, Oren; Noiman, Silvia; Mohanty, Pradyumna; Chen, Dongli; Lobera, Mercedes; Wu, Laurence; Marantz, Yael; Inbal, Boaz; Heifetz, Alexander; Bar-Haim, Shay; Shacham, Sharon

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 30 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| US 2005256153 | A1 | 20051117 | US 2004-955434 | 20040930 |
| AU 2005252632 | A1 | 20051222 | AU 2005-252632 | 20050516 |
| CA 2567268 | A1 | 20051222 | CA 2005-2567268 | 20050516 |
| WO 2005121151 | A2 | 20051222 | WO 2005-US17121 | 20050516 |
| WO 2005121151 | A3 | 20060518 | | |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | | |
| RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| EP 1746994 | A2 | 20070131 | EP 2005-779361 | 20050516 |
| R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, | | | | |

Best Available Copy

| | | | | |
|--|----|----------|-----------------|-------------|
| IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR | | | | |
| US 2006084805 | A1 | 20060420 | US 2005-269042 | 20051108 |
| US 2006234998 | A1 | 20061019 | US 2005-271019 | 20051110 |
| IN 2006CN04228 | A | 20070615 | IN 2006-CN4228 | 20061116 |
| NO 2006005814 | A | 20070212 | NO 2006-5814 | 20061215 |
| PRIORITY APPLN. INFO.: | | | US 2004-571852P | P 20040517 |
| | | | US 2004-955434 | A 20040930 |
| | | | US 2004-960769 | A2 20041007 |
| | | | WO 2005-US17121 | W 20050516 |

OTHER SOURCE(S): MARPAT 143:477954

L2 ANSWER 3 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:570894 CAPLUS
 DOCUMENT NUMBER: 143:83527
 TITLE: Crystalline forms of 2,3-dimethyl-8-(2,6-dimethylbenzylamino)-N-hydroxyethylimidazo[1,2-al]pyridine-6-carboxamide mesylate salt
 INVENTOR(S): Lilljequist, Lars; Lindkvist, Maria; Nordberg, Peter; Pettersson, Ursula; Sebhautu, Tesfai
 PATENT ASSIGNEE(S): AstraZeneca AB, Swed.
 SOURCE: PCT Int. Appl., 66 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|--|------------------|------------|
| WO 2005058895 | A1 | 20050630 | WO 2004-SE1909 | 20041216 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | | |
| RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| AU 2004299435 | A1 | 20050630 | AU 2004-299435 | 20041216 |
| CA 2549144 | A1 | 20050630 | CA 2004-2549144 | 20041216 |
| EP 1697360 | A1 | 20060906 | EP 2004-809082 | 20041216 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, BA, HR, IS, YU | | | | |
| CN 1894246 | A | 20070110 | CN 2004-80037988 | 20041216 |
| BR 2004017640 | A | 20070327 | BR 2004-17640 | 20041216 |
| JP 2007514744 | T | 20070607 | JP 2006-545292 | 20041216 |
| US 2007112021 | A1 | 20070517 | US 2006-582838 | 20060614 |
| NO 2006003309 | A | 20060914 | NO 2006-3309 | 20060717 |
| PRIORITY APPLN. INFO.: | | | SE 2003-3451 | A 20031218 |
| | | | WO 2004-SE1909 | W 20041216 |
| REFERENCE COUNT: | 5 | THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT | | |

L2 ANSWER 4 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:570428 CAPLUS
 DOCUMENT NUMBER: 141:111615
 TITLE: Chronotherapy tablet and methods related thereto
 INVENTOR(S): Chopra, Sham
 PATENT ASSIGNEE(S): Can.

Best Available Copy

SOURCE: U.S. Pat. Appl. Publ., 14 pp., Cont.-in-part of U.S.
Ser. No. 430,142.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|-------------|
| US 2004137062 | A1 | 20040715 | US 2003-697473 | 20031030 |
| US 2003003151 | A1 | 20030102 | US 2002-85234 | 20020228 |
| US 6960357 | B2 | 20051101 | | |
| US 2004022852 | A1 | 20040205 | US 2003-430142 | 20030506 |
| PRIORITY APPLN. INFO.: | | | US 2001-293701P | P 20010525 |
| | | | US 2002-85234 | A2 20020228 |
| | | | US 2003-430142 | A2 20030506 |

L2 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:594675 CAPLUS
DOCUMENT NUMBER: 137:145600
TITLE: Crystal forms of 2,3-dimethyl-8-(2-ethyl-6-methylbenzylamino)imidazo(1,2-a)pyridine-6-carboxamide mesylate
INVENTOR(S): Dahlstroem, Mikael; Langkilde, Frans; Loeqvist, Karin
PATENT ASSIGNEE(S): Astrazeneca Ab, Swed.
SOURCE: PCT Int. Appl., 21 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|--|-----------------|------------|
| WO 2002060441 | A1 | 20020808 | WO 2002-SE163 | 20020130 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| AU 2002226861 | A1 | 20020812 | AU 2002-226861 | 20020130 |
| PRIORITY APPLN. INFO.: | | | SE 2001-296 | A 20010201 |
| | | | WO 2002-SE163 | W 20020130 |
| REFERENCE COUNT: | 2 | THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT | | |

L2 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:923796 CAPLUS
DOCUMENT NUMBER: 136:53745
TITLE: Preparation of imidazo[1,2-a]pyridine ether compounds as ion channel modulators
INVENTOR(S): Beatch, Gregory N.; Liu, Yuzhong; Plouvier, Bertrand M. C.
PATENT ASSIGNEE(S): Cardiome Pharma Corp., Can.
SOURCE: PCT Int. Appl., 111 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English

Best Available Copy

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| WO 2001096335 | A1 | 20011220 | WO 2001-CA868 | 20010612 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | | |
| AU 2001067214 | A5 | 20011224 | AU 2001-67214 | 20010612 |
| US 2004048885 | A1 | 20040311 | US 2003-297988 | 20030627 |
| US 7105534 | B2 | 20060912 | | |

PRIORITY APPLN. INFO.: CA 2000-2311483 A 20000612
WO 2001-CA868 W 20010612

OTHER SOURCE(S): MARPAT 136:53745

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:396849 CAPLUS
 DOCUMENT NUMBER: 135:19561
 TITLE: 2-Arylquinoline derivatives, preparation and therapeutic use thereof as stimulants of arterial and urethral smooth muscle contraction
 INVENTOR(S): Bovy, Philippe R.; Braun, Alain; Philippo, Christophe
 PATENT ASSIGNEE(S): Sanofi-Synthelabo, Fr.
 SOURCE: PCT Int. Appl., 50 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| WO 2001038310 | A1 | 20010531 | WO 2000-FR3224 | 20001121 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | | |
| FR 2801589 | A1 | 20010601 | FR 1999-14817 | 19991125 |
| CA 2392149 | A1 | 20010531 | CA 2000-2392149 | 20001121 |
| BR 2000015787 | A | 20020813 | BR 2000-15787 | 20001121 |
| EP 1240146 | A1 | 20020918 | EP 2000-988858 | 20001121 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | | |
| TR 200201352 | T2 | 20030221 | TR 2002-1352 | 20001121 |
| HU 200203455 | A2 | 20030228 | HU 2002-3455 | 20001121 |
| EE 200200266 | A | 20030616 | EE 2002-266 | 20001121 |
| JP 2003526633 | T | 20030909 | JP 2001-540073 | 20001121 |
| MX 2002PA05019 | A | 20030128 | MX 2002-PA5019 | 20020517 |
| BG 106737 | A | 20030430 | BG 2002-106737 | 20020522 |

Best Available Copy

| | | | | |
|------------------------|----|--|----------------|------------|
| ZA 2002004064 | A | 20030522 | ZA 2002-4064 | 20020522 |
| US 6617336 | B1 | 20030909 | US 2002-130875 | 20020522 |
| HR 2002000455 | A1 | 20030831 | HR 2002-455 | 20020523 |
| IN 2002MN00662 | A | 20040228 | IN 2002-MN662 | 20020523 |
| NO 2002002482 | A | 20020724 | NO 2002-2482 | 20020524 |
| PRIORITY APPLN. INFO.: | | | FR 1999-14817 | A 19991125 |
| | | | WO 2000-FR3224 | W 20001121 |
| OTHER SOURCE(S): | | MARPAT 135:19561 | | |
| REFERENCE COUNT: | | 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT | | |

L2 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1997:772199 CAPLUS
 DOCUMENT NUMBER: 128:48140
 TITLE: Preparation of substituted benzene-fused hetero-and carbocyclics as neurokinin antagonists
 INVENTOR(S): McCormick, Kevin D.; Lupo, Andrew T., Jr.
 PATENT ASSIGNEE(S): Schering-Plough Corp., USA
 SOURCE: U.S., 29 pp., Cont.-in-part of U.S. Ser. No. 469,315, abandoned.
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|------------------|-----------------|-------------|
| US 5691362 | A | 19971125 | US 1996-658790 | 19960605 |
| CA 2223239 | A1 | 19961212 | CA 1996-2223239 | 19960604 |
| ES 2191755 | T3 | 20030916 | ES 1996-916750 | 19960604 |
| PRIORITY APPLN. INFO.: | | | US 1995-469315 | B2 19950606 |
| OTHER SOURCE(S): | | MARPAT 128:48140 | | |

L2 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1992:550675 CAPLUS
 DOCUMENT NUMBER: 117:150675
 TITLE: Preparation of phenylalkylamines for treatment of gastrointestinal disorders
 INVENTOR(S): Hell, Insa; Preuschhoff, Ulf; Kraehling, Hermann; David, Samuel; Ban, Ivan; Christen, Marie Odile
 PATENT ASSIGNEE(S): Kali-Chemie Pharma GmbH, Germany
 SOURCE: Eur. Pat. Appl., 31 pp.
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| EP 491263 | A1 | 19920624 | EP 1991-121136 | 19911210 |
| EP 491263 | B1 | 19960724 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE | | | | |
| DE 4040632 | A1 | 19920625 | DE 1990-4040632 | 19901219 |
| AT 140693 | T | 19960815 | AT 1991-121136 | 19911210 |
| ES 2090219 | T3 | 19961016 | ES 1991-121136 | 19911210 |
| HU 61966 | A2 | 19930329 | HU 1991-3891 | 19911211 |
| JP 04308555 | A | 19921030 | JP 1991-333341 | 19911217 |
| CA 2057959 | A1 | 19920620 | CA 1991-2057959 | 19911218 |
| FI 9105979 | A | 19920620 | FI 1991-5979 | 19911218 |
| NO 9105010 | A | 19920622 | NO 1991-5010 | 19911218 |
| AU 9189827 | A | 19920625 | AU 1991-89827 | 19911218 |

Best Available Copy

| | | | | | |
|------------------------|----|----------|---------------------|----|----------|
| AU 643099 | B2 | 19931104 | | | |
| ZA 9109954 | A | 19921028 | ZA 1991-9954 | | 19911218 |
| CN 1062525 | A | 19920708 | CN 1991-111696 | | 19911219 |
| US 5294638 | A | 19940315 | US 1993-5457 | | 19930119 |
| PRIORITY APPLN. INFO.: | | | DE 1990-4040632 | A | 19901219 |
| | | | US 1991-806302 | B1 | 19911213 |
| OWNER SOURCE(S) | | | MARSHALL 117-150665 | | |

OTHER SOURCE(S): MARPAT 117:150675

L2 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:213581 CAPLUS

DOCUMENT NUMBER: 106:213581

TITLE: Preparation and formulation of N-heterocyclyl-substituted benzamides useful in treatment of gastrointestinal disorders

INVENTOR(S): Noverola, Armando Vega; Soto, Jose Manuel Prieto;
Noguera, Fernando Pujol; Mauri, Jacinto Moragues;
Spickett, Robert Geoffrey William

PATENT ASSIGNEE(S): Fordonal S. A., Spain

SOURCE: Eur. Pat. Appl., 55 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. CO

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| EP 213775 | A1 | 19870311 | EP 1986-305999 | 19860804 |
| EP 213775 | B1 | 19900103 | | |
| R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE | | | | |
| ES 2000705 | A6 | 19880316 | ES 1986-430 | 19860721 |
| ES 2000706 | A6 | 19880316 | ES 1986-431 | 19860721 |
| IL 79469 | A | 19930315 | IL 1986-79469 | 19860721 |
| ZA 8605537 | A | 19870325 | ZA 1986-5537 | 19860724 |
| AU 8660758 | A | 19870212 | AU 1986-60758 | 19860731 |
| AU 596110 | B2 | 19900426 | | |
| US 4772618 | A | 19880920 | US 1986-890946 | 19860731 |
| CA 1300154 | C | 19920505 | CA 1986-515257 | 19860801 |
| FI 8603179 | A | 19870207 | FI 1986-3179 | 19860804 |
| FI 89168 | B | 19930514 | | |
| FI 89168 | C | 19930825 | | |
| NO 8603139 | A | 19870209 | NO 1986-3139 | 19860804 |
| NO 168706 | B | 19911216 | | |
| NO 168706 | C | 19920325 | | |
| DK 8603705 | A | 19870327 | DK 1986-3705 | 19860804 |
| JP 62129279 | A | 19870611 | JP 1986-183285 | 19860804 |
| HU 44782 | A2 | 19880428 | HU 1986-3367 | 19860804 |
| HU 201060 | B | 19900928 | | |
| AT 49206 | T | 19900115 | AT 1986-305999 | 19860804 |
| PL 150228 | B1 | 19900531 | PL 1986-260921 | 19860804 |
| DD 287502 | A5 | 19910228 | DD 1986-293410 | 19860804 |
| CN 86105972 | A | 19870401 | CN 1986-105972 | 19860806 |
| CN 1022830 | B | 19931124 | | |

PRIORITY ARRIVED INFO:

GB 1985-19707 A 19850806
EP 1986-305999 A 19860804

OTHER SOURCE(S): MARPAT 106:213581

\Rightarrow

$$\Rightarrow \log y$$

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

| | | |
|--|------------|---------|
| FULL ESTIMATED COST | 40.58 | 40.79 |
| DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) | SINCE FILE | TOTAL |
| CA SUBSCRIBER PRICE | ENTRY | SESSION |
| | -4.68 | -4.68 |

STN INTERNATIONAL LOGOFF AT 06:11:36 ON 11 JUL 2007